

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20020136407".pn. and (location adj identity specific adj2 location time adj dimension universal earth shape adj parameter sought render\$3 distributor remote adj device)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 17:53
S2	441	encrypt same key same location	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/14 17:02
S3	142	encrypt same key near6 location	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/14 17:03
S4	113	encrypt same key near4 location	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/14 17:03
S5	116	encrypt same key near4 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:23
S6	12	encrypt same key near4 (destination adj2 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:27
S7	5	encrypt same key near4 GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:31
S9	26	("4418425" "45310200" "4709266" "4860352" "4887296" "4993067" "5243652" "5532838" "5640452" "5659617" "5740252" "5754657" "5757916").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:08
S10	114	only with location with decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:09

S11	43	(only near3 location) with decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:09
S12	120	geographic adj location same encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/14 18:12
S13	44	key same geographic adj location same encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 14:15
S14	2	geo adj1 (encrypt\$3 crypto\$6)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 14:36
S15	212	satellite\$1 adj4 (encrypt\$3 crypto\$6)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 14:35
S16	35	satellite\$1 adj4 (key near3 (encrypt\$3 crypto\$6))	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 15:08
S17	45	satellite\$1 adj4 (key near3 (encrypt\$3 crypto\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:35
S18	2	geo adj1 (encrypt\$3 crypto\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:36
S19	786	"340"/\$.ccls. and encrypt\$3 same key	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 15:09
S20	165	"340"/\$.ccls. and encrypt\$3 same key same locat\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 15:09
S21	189	"340"/\$.ccls. and encrypt\$3 same key same (locat\$3 position)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 15:32
S22	165	"340"/\$.ccls. and encrypt\$3 same key same locat\$3 not (s1-14)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 15:10
S23	265	key same encrypt\$3 and (locat\$3 position Location locality site).ti.	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 15:33

S24	169	(locat\$3 position Location locality site) same key same encrypt\$3 and (locat\$3 position Location locality site).ti.	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 15:34
S25	71	(locat\$3 position Location locality site) near6 key same encrypt\$3 and (locat\$3 position Location locality site).ti.	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/15 15:45
S26	61	(locat\$3 position Location locality site) near6 key same encrypt\$3 and (locat\$3 position Location locality site).ti.	JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:57
S39	16707	encrypt\$ near3 key	US-PGPUB; USPAT	OR	OFF	2005/03/15 21:28
S40	13869	encrypt\$ adj3 key	US-PGPUB; USPAT	OR	OFF	2005/03/15 17:03
S41	2833	encrypt\$ adj3 encrypt\$ adj key	US-PGPUB; USPAT	OR	OFF	2005/03/15 17:04
S42	648	encrypting adj key	US-PGPUB; USPAT	OR	OFF	2005/03/15 18:44
S43	46	send\$3 with encrypting adj key	US-PGPUB; USPAT	OR	OFF	2005/03/15 18:49
S44	2	send\$3 with encrypting adj key and 380/259.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 18:49
S45	10	encrypting adj key and 380/259.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 20:33
S49	23	session adj key and 380/259.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 20:33
S50	17	(encrypt\$ decrypt\$) same session adj key and 380/259.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 20:53
S51	0	(encrypt\$ decrypt\$) same main adj key and 380/259.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 20:53
S52	73	(encrypt\$ decrypt\$) adj key and 380/259.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 20:53
S54	18	router same (re adj encrypt\$4 reencrypt\$4)	US-PGPUB; USPAT	OR	OFF	2005/03/15 21:46
S55	53	GPS with seed	US-PGPUB; USPAT	OR	OFF	2005/03/15 21:59
S57	216	key\$1 near table and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 21:59
S58	183	key\$1 near table and "380"/\$.ccls. and (certificat\$ sign\$6)	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:00
S59	27	key\$1 near table same (certificat\$ sign\$6)and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:03
S60	2	encrypt\$3 with key\$1 near table same (certificat\$)and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:04

S61	115	encrypt\$3 with key\$1 near table and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:05
S62	75	encrypt\$3 adj3 key\$1 near table and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:05
S63	56	encrypt\$3 adj3 key\$1 adj table and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:16
S64	0	encrypt\$3 adj3 key\$1 adj table same history and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:16
S65	0	key\$1 adj table same history and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:17
S66	2	key\$1 adj table same future and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:32
S67	6	key\$1 adj table same provider\$3 and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:34
S68	3	different adj key same key\$1 adj table and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 23:00
S69	23	different adj key same key\$1 adj table	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:40
S70	0	different adj key with provider same key\$1 adj table	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:40
S71	0	different adj key same provider same key\$1 adj table	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:40
S72	0	different adj key same sender same key\$1 adj table	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:40
S73	0	different adj key with sender same key\$1 adj table	US-PGPUB; USPAT	OR	OFF	2005/03/15 22:40
S74	202	key\$1 with remot\$3 same security and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 23:01
S75	105	key\$1 with remot\$3 with security and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 23:01
S76	59	key\$1 near5 remot\$3 with security and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 23:02
S77	2	key\$1 near5 table same remot\$3 with security and "380"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/15 23:03
S78	1656	encrypt\$3 same key near3 storage	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 12:44
S79	687	encrypt\$3 same key near3 storage and "380"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 12:44
S80	26	encrypt\$3 same key near3 storage same remot\$3 with key and "380"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 12:45
S81	1	encrypt\$3 same key near3 storage same remot\$3 with key with register\$ and "380"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 14:38

S82	0	(pseudo adj1 number pseudonumber) with GPS	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 14:40
S83	737	(pseudo adj1 randmo pseudrandom random) with GPS	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 14:41
S84	293	(pseudo adj1 randmo pseudrandom random) near5 GPS	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 14:43
S85	2	encrypt\$3 same key\$1 same (pseudo adj1 randmo pseudrandom random) near5 GPS	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 14:42
S86	201	(pseudo adj1 randmo pseudrandom random) near5 GPS and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 14:44
S87	384	(pseudo adj1 random pseudrandom random) near5 GPS and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:45
S88	1	encrypt\$3 same key\$1 same (pseudo adj1 random pseudrandom random) near5 GPS and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:44
S89	14	encrypt\$3 same key\$1 and (pseudo adj1 random pseudrandom random) near5 GPS and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 18:15
S93	1	"20020136407".pn. and (seed pseudo adj2 number)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 15:27
S94	0	(seed pseudo adj2 number) with sattelite	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 15:28
S95	1	"20020136407".pn. and (location adj value proximity adj value)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 18:31
S96	394	encrypt\$3 near5 key same key with pseudo adj random	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/16 18:14

S97	2866	encrypt\$3 same key\$1 same key with (pseudo adj1 random pseudrandom random) and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 19:26
S99	1918	encrypt\$3 same key\$1 same key with generat\$3 with (pseudo adj1 random pseudrandom random) and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 19:27
S10 0	459	encrypt\$3 same key\$1 same key with generat\$3 with (pseudo adj1 random pseudrandom random) and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030") and (satellite gps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 19:27
S10 1	13	encrypt\$3 same key\$1 same key with generat\$3 with (pseudo adj1 random pseudrandom random) same (satellite gps) and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 19:29
S10 2	0	encrypt\$3 same key\$1 same key with generat\$3 with (pseudo adj1 random pseudrandom random) same (gps) and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 19:30
S10 3	31	encrypt\$3 same key\$1 same key with generat\$3 with (pseudo adj1 random pseudrandom random) and (gps) and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 20:07
S10 4	0	encrypt\$3 same key\$1 same key with generat\$3 with (pseudo adj1 random pseudrandom random) and (gps same ((pseudo adj1 random pseudrandom random) seed)) and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 19:31

S10 5	7	encrypt\$3 same key\$1 same key with (pseudo adj1 random pseudrandom random) and (gps same ((pseudo adj1 random pseudrandom random) seed)) and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 19:31
S10 6	861	re adj1 encrypt\$3 and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 20:07
S10 7	29857	decrypt\$3 same4 re adj1 encrypt\$3 and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 20:07
S10 8	378	decrypt\$3 near4 re adj1 encrypt\$3 and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 20:08
S10 9	35	decrypt\$3 near4 re adj1 encrypt\$3 same rout\$3 and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 20:11
S11 0	315	decrypt\$3 near4 re adj1 encrypt\$3 same encrypted and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 20:11
S11 1	79	decrypt\$3 near4 re adj1 encrypt\$3 same encrypted and (@ad<"20001030" or @rlad<"20001030" or @prad<"20001030") and IP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 21:12
S11 3	0	"6240514".pn. and (data adj portion with encryt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 21:12

S11 4	1	"6240514".pn. and (data adj portion with encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 21:12
----------	---	---	---	----	-----	------------------

File 348:EUROPEAN PATENTS 1978-2005/Feb W04
(c) 2005 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20050310,UT=20050303
(c) 2005 WIPO/Univentio
File 324:German Patents Fulltext 1967-200510
(c) 2005 Univentio

Set	Items	Description
S1	22648	GPS OR GLOBAL?(2W)POSITION??? ?(1W)(SYSTEM? ? OR SATELLITE? OR UNIT OR UNITS)
S2	28698	ENCRYPT? OR ENCIPHER? OR ENCYPHER?
S3	12889	SCRAMBL?
S4	185038	ENCOD? OR INCOD?
S5	5847	CIPHER? OR CYPHER?
S6	372109	KEY? ? OR SUBKEY? OR SECRETKEY? OR PRIVATEKEY? OR PUBLICKE- Y? OR SESSIONKEY? OR SYMMETRICKEY? OR ASYMMETRICKEY? OR ALGOR- ITHM?
S7	308110	CODE OR CODES
S8	16702	TOKEN?
S9	17516	S2:S4(3N)(S5:S6 OR S8)
S10	20625	S2:S4(3N)S7
S11	109	(S2 OR S5)(15N)S1
S12	8616	IC='H04L-009'
S13	10	S11 AND S12
S14	72	S9:S10(20N)S1
S15	7	S14 AND S12
S16	20	S11/TI,AB,CM
S17	13	S14/TI,AB,CM
S18	144	(S2 OR S5)(20N)S1
S19	17	S18 AND S12
S20	27	S18/TI,AB,CM
S21	47	S15:S17 OR S19:S20
S22	47	IDPAT (sorted in duplicate/non-duplicate order)
S23	47	IDPAT (primary/non-duplicate records only)

File 6:NTIS 1964-2005/Mar W1
(c) 2005 NTIS, Intl Cpyrght All Rights Res
File 2:INSPEC 1969-2005/Feb W4
(c) 2005 Institution of Electrical Engineers
File 8:EI Compendex(R) 1970-2005/Mar W1
(c) 2005 Elsevier Eng. Info. Inc.
File 34:SciSearch(R) Cited Ref Sci 1990-2005/Mar W2
(c) 2005 Inst for Sci Info
File 35:Dissertation Abs Online 1861-2005/Feb
(c) 2005 ProQuest Info&Learning
File 65:Inside Conferences 1993-2005/Mar W2
(c) 2005 BLDSC all rts. reserv.
File 94:JICST-EPlus 1985-2005/Jan W5
(c) 2005 Japan Science and Tech Corp(JST)
File 95:TEME-Technology & Management 1989-2005/Feb W1
(c) 2005 FIZ TECHNIK
File 99:Wilson Appl. Sci & Tech Abs 1983-2005/Feb
(c) 2005 The HW Wilson Co.
File 104:AeroBase 1999-2005/Jan
(c) 2005 Contains copyrighted material
File 111:TGG Natl.Newspaper Index(SM) 1979-2005/Mar 16
(c) 2005 The Gale Group
File 144:Pascal 1973-2005/Mar W1
(c) 2005 INIST/CNRS
File 256:TecInfoSource 82-2005/Feb
(c) 2005 Info.Sources Inc
File 266:FEDRIP 2005/Jan
Comp & dist by NTIS, Intl Copyright All Rights Res
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
(c) 1998, Inst for Sci Info
File 483:Newspaper Abs Daily 1986-2005/Mar 16
(c) 2005 ProQuest Info&Learning
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
(c) 2002 The Gale Group
File 603:Newspaper Abstracts 1984-1988
(c) 2001 ProQuest Info&Learning

Set	Items	Description
S1	72686	GPS OR GLOBAL?(2W)POSITION??? ?(1W)(SYSTEM? ? OR SATELLITE? OR UNIT OR UNITS)
S2	34235	ENCRYPT? OR ENCIPHER? OR ENCYIPHER?
S3	33033	SCRAMBL?
S4	478098	ENCOD? OR INCOD?
S5	13790	CIPHER? OR CYPHER?
S6	2846283	KEY? ? OR SUBKEY? OR SECRETKEY? OR PRIVATEKEY? OR PUBLICKEY? Y? OR SESSIONKEY? OR SYMMETRICKEY? OR ASYMMETRICKEY? OR ALGOR- ITHM?
S7	831586	CODE OR CODES
S8	27042	TOKEN?
S9	16208	S2:S4(3N)(S5:S6 OR S8)
S10	8820	S2:S4(3N)S7
S11	52	(S2 OR S5)(15N)S1
S12	55	S9:S10 AND S1
S13	88	S11:S12
S14	26	S13/2001:2005
S15	62	S13 NOT S14
S16	44	RD (unique items)
S17	598	AU=DENNING D?
S18	231	AU=DENNING, D?
S19	766	AU=GLICK B?
S20	139	AU=GLICK, B?

S21 16 AU=KARPF R?
S22 15 AU=KARPF, R?
S23 327 AU=SEILER M?
S24 226 AU=SEILER, M?
S25 2318 S17:S24
S26 2 S25 AND S1
S27 2 RD (unique items)
S28 1 GEOENCRYPT? OR GEO()ENCRYPT?
S29 0 S28 NOT (S27 OR S13)
?

File 9:Business & Industry(R) Jul/1994-2005/Mar 16
 (c) 2005 The Gale Group
 File 16:Gale Group PROMT(R) 1990-2005/Mar 17
 (c) 2005 The Gale Group
 File 47:Gale Group Magazine DB(TM) 1959-2005/Mar 17
 (c) 2005 The Gale group
 File 148:Gale Group Trade & Industry DB 1976-2005/Mar 17
 (c)2005 The Gale Group
 File 160:Gale Group PROMT(R) 1972-1989
 (c) 1999 The Gale Group
 File 275:Gale Group Computer DB(TM) 1983-2005/Mar 17
 (c) 2005 The Gale Group
 File 570:Gale Group MARS(R) 1984-2005/Mar 17
 (c) 2005 The Gale Group
 File 621:Gale Group New Prod.Annou.(R) 1985-2005/Mar 17
 (c) 2005 The Gale Group
 File 636:Gale Group Newsletter DB(TM) 1987-2005/Mar 17
 (c) 2005 The Gale Group
 File 649:Gale Group Newswire ASAP(TM) 2005/Mar 09
 (c) 2005 The Gale Group

Set	Items	Description
S1	123496	GPS OR GLOBAL?(2W)POSITION??? ?(1W) (SYSTEM? ? OR SATELLITE? OR UNIT OR UNITS)
S2	235529	ENCRYPT? OR ENCIPHER? OR ENCYPHER?
S3	126281	SCRAMBL?
S4	162078	ENCOD? OR INCOD?
S5	13942	CIPHER? OR CYPHER?
S6	4182382	KEY? ? OR SUBKEY? OR SECRETKEY? OR PRIVATEKEY? OR PUBLICKE- Y? OR SESSIONKEY? OR SYMMETRICKEY? OR ASYMMETRICKEY? OR ALGOR- ITHM?
S7	1342151	CODE OR CODES
S8	128543	TOKEN?
S9	35588	S2:S4(3N) (S5:S6 OR S8)
S10	6784	S2:S4(3N)S7
S11	679	(S2 OR S5) (S)S1
S12	471	(S2 OR S5) (15N)S1
S13	100	S9:S10(S)S1
S14	47	S13/2001:2005
S15	53	S13 NOT S14
S16	42	RD (unique items)
?		

File 347:JAPIO Nov 1976-2004/Nov(Updated 050309)

(c) 2005 JPO & JAPIO

File 350:Derwent WPIX 1963-2005/UD,UM &UP=200518

(c) 2005 Thomson Derwent

File 344:Chinese Patents Abs Aug 1985-2004/May

(c) 2004 European Patent Office

File 371:French Patents 1961-2002/BOPI 200209

(c) 2002 INPI. All rts. reserv.

Set	Items	Description
S1	151449	GPS OR GLOBAL?(2W)POSITION??? ?(1W)(SYSTEM? ? OR SATELLITE? OR UNIT OR UNITS)
S2	21491	ENCRYPT? OR ENCIPHER? OR ENCYPER?
S3	8226	SCRAMBL?
S4	193544	ENCOD? OR INCOD?
S5	8014	CIPHER? OR CYPHER?
S6	270230	KEY? ? OR SUBKEY? OR SECRETKEY? OR PRIVATEKEY? OR PUBLICKE- Y? OR SESSIONKEY? OR SYMMETRICKEY? OR ASYMMETRICKEY? OR ALGOR- ITHM?
S7	335040	CODE OR CODES
S8	9763	TOKEN?
S9	10293	S2:S4(3N)(S5:S6 OR S8)
S10	10293	S2:S4(3N)(S5:S6 OR S8)
S11	8669	S2:S4(3N)S7
S12	104	(S2 OR S5) AND S1
S13	38528	IC=H04L-009
S14	29	S12 AND S13
S15	23	S9:S10 AND S1
S16	38	S14:S15
S17	38	IDPAT (sorted in duplicate/non-duplicate order)
S18	35	IDPAT (primary/non-duplicate records only)
S19	43	S11 AND S1
S20	40	S19 NOT S16
S21	40	IDPAT (sorted in duplicate/non-duplicate order)
S22	36	IDPAT (primary/non-duplicate records only)

File 696:DIALOG Telecom. Newsletters 1995-2005/Mar 16
(c) 2005 The Dialog Corp.
File 15:ABI/Inform(R) 1971-2005/Mar 17
(c) 2005 ProQuest Info&Learning
File 98:General Sci Abs/Full-Text 1984-2004/Dec
(c) 2005 The HW Wilson Co.
File 112:UBM Industry News 1998-2004/Jan 27
(c) 2004 United Business Media
File 141:Readers Guide 1983-2005/Dec
(c) 2005 The HW Wilson Co
File 484:Periodical Abs Plustext 1986-2005/Mar W2
(c) 2005 ProQuest
File 608:KR/T Bus.News. 1992-2005/Mar 17
(c)2005 Knight Ridder/Tribune Bus News
File 813:PR Newswire 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc
File 613:PR Newswire 1999-2005/Mar 17
(c) 2005 PR Newswire Association Inc
File 635:Business Dateline(R) 1985-2005/Mar 17
(c) 2005 ProQuest Info&Learning
File 810:Business Wire 1986-1999/Feb 28
(c) 1999 Business Wire .
File 610:Business Wire 1999-2005/Mar 17
(c) 2005 Business Wire.
File 369:New Scientist 1994-2005/Mar W1
(c) 2005 Reed Business Information Ltd.
File 370:Science 1996-1999/Jul W3
(c) 1999 AAAS
File 20:Dialog Global Reporter 1997-2005/Mar 17
(c) 2005 The Dialog Corp.
File 624:McGraw-Hill Publications 1985-2005/Mar 16
(c) 2005 McGraw-Hill Co. Inc
File 634:San Jose Mercury Jun 1985-2005/Mar 16
(c) 2005 San Jose Mercury News
File 647:CMP Computer Fulltext 1988-2005/Feb W4
(c) 2005 CMP Media, LLC
File 674:Computer News Fulltext 1989-2005/Mar W2
(c) 2005 IDG Communications

Set	Items	Description
S1	136166	GPS OR GLOBAL?(2W)POSITION??? ?(1W) (SYSTEM? ? OR SATELLITE? OR UNIT OR UNITS)
S2	140951	ENCRYPT? OR ENCIPHER? OR ENCYIPHER?
S3	193446	SCRAMBL?
S4	125316	ENCOD? OR INCOD?
S5	14228	CIPHER? OR CYPHER?
S6	4352750	KEY? ? OR SUBKEY? OR SECRETKEY? OR PRIVATEKEY? OR PUBLICKE- Y? OR SESSIONKEY? OR SYMMETRICKEY? OR ASYMMETRICKEY? OR ALGOR- ITHM?
S7	1437069	CODE OR CODES
S8	126088	TOKEN?
S9	19664	S2:S4(3N) (S5:S6 OR S8)
S10	4434	S2:S4(3N)S7
S11	557	(S2 OR S5) (S)S1
S12	336	(S2 OR S5) (15N)S1
S13	73	S9:S10(S)S1
S14	40	S13/2001:2005
S15	33	S13 NOT S14
S16	31	RD (unique items)
?		

File 696:DIALOG Telecom. Newsletters 1995-2005/Mar 16
(c) 2005 The Dialog Corp.
File 15:ABI/Inform(R) 1971-2005/Mar 17
(c) 2005 ProQuest Info&Learning
File 98:General Sci Abs/Full-Text 1984-2004/Dec
(c) 2005 The HW Wilson Co.
File 112:UBM Industry News 1998-2004/Jan 27
(c) 2004 United Business Media
File 141:Readers Guide 1983-2005/Dec
(c) 2005 The HW Wilson Co
File 484:Periodical Abs Plustext 1986-2005/Mar W2
(c) 2005 ProQuest
File 608:KR/T Bus.News. 1992-2005/Mar 17
(c)2005 Knight Ridder/Tribune Bus News
File 813:PR Newswire 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc
File 613:PR Newswire 1999-2005/Mar 17
(c) 2005 PR Newswire Association Inc
File 635:Business Dateline(R) 1985-2005/Mar 17
(c) 2005 ProQuest Info&Learning
File 810:Business Wire 1986-1999/Feb 28
(c) 1999 Business Wire
File 610:Business Wire 1999-2005/Mar 17
(c) 2005 Business Wire.
File 369:New Scientist 1994-2005/Mar W1
(c) 2005 Reed Business Information Ltd.
File 370:Science 1996-1999/Jul W3
(c) 1999 AAAS
File 20:Dialog Global Reporter 1997-2005/Mar 17
(c) 2005 The Dialog Corp.
File 624:McGraw-Hill Publications 1985-2005/Mar 16
(c) 2005 McGraw-Hill 'Co. Inc
File 634:San Jose Mercury Jun 1985-2005/Mar 16
(c) 2005 San Jose Mercury News
File 647:CMP Computer Fulltext 1988-2005/Feb W4
(c) 2005 CMP Media, LLC
File 674:Computer News Fulltext 1989-2005/Mar W2
(c) 2005 IDG Communications

Set	Items	Description
S1	136167	GPS OR GLOBAL?(2W) POSITION??? ?(1W) (SYSTEM? ? OR SATELLITE? OR UNIT OR UNITS)
S2	0	AU=DENNING D?
S3	58	AU=DENNING, D?
S4	0	AU=GLICK B?
S5	30	AU=GLICK, B?
S6	0	AU=KARPH R?
S7	3	AU=KARPF, R?
S8	0	AU=SEILER M?
S9	46	AU=SEILER, M?
S10	0	AU=KARPF R?
S11	0	S3:S9 AND S1
S12	5	GEOENCRYPT? OR GEO()ENCRYPT?
S13	5	RD (unique items)
?		

File 347:JAPIO Nov 1976-2004/Nov(Updated 050309)
(c) 2005 JPO & JAPIO
File 350:Derwent WPIX 1963-2005/UD,UM &UP=200518
(c) 2005 Thomson Derwent
File 348:EUROPEAN PATENTS 1978-2005/Feb W04
(c) 2005 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20050310,UT=20050303
(c) 2005 WIPO/Univentio

Set	Items	Description
S1	1	AU=DENNING D
S2	23	AU=GLICK B?
S3	23	AU=KARPF R?
S4	131	AU=SEILER M?
S5	161	S1:S4
S6	168638	GPS OR GLOBAL?(2W)POSITION??? ?(1W)(SYSTEM? ? OR SATELLITE? OR UNIT OR UNITS)
S7	6	S5 AND S6

7/6/1 (Item 1 from file: 350)
003733190
WPI Acc No: 1983-729388/198332
Title Terms: ACYLATED; AMINO; TETRALIN; DERIVATIVE; USEFUL; ADRENERGIC;
DOPAMINE; RECEPTOR; STIMULATING

7/6/2 (Item 2 from file: 350)
003733188
WPI Acc No: 1983-729386/198332
Title Terms: AMINO; HYDROXY; SUBSTITUTE; TETRALIN; DERIVATIVE; USEFUL;
ADRENERGIC; DOPAMINE; RECEPTOR; STIMULATING

7/6/3 (Item 3 from file: 350)
002259042
WPI Acc No: 1979-58244B/197932
Title Terms: AMINO; DI; HYDRO; IMIDAZO; ISOQUINOLINE; DERIVATIVE;
PREPARATION; AMINOALKYL; DI; HYDRO; ISOQUINOLINE; COMPOUND; COMPOUND;
ANTIARRHYTHMIC; ACTIVE

7/5/4 (Item 1 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2005 WIPO/Univentio. All rts. reserv.

00967910 **Image available**
SYSTEM AND METHOD FOR MAINTAINING STATE BETWEEN A CLIENT AND SERVER
SYSTEME ET PROCEDE DE MAINTIEN DE L'ETAT ENTRE UN CLIENT ET UN SERVEUR
Patent Applicant/Inventor:
SEILER Mark , 3480 Blair Drive, Los Angeles, CA 90068, US, US
(Residence), US (Nationality)
GLICK Barry J , 2710 Cathedral Way NW, Washington, DC 20008, US, US
(Residence), US (Nationality)
KARPF Ronald S , 11425 Brandy Hall Lane, Gaithersburg, MD 20878, US, US
(Residence), US (Nationality)
Legal Representative:
BERLINER Brian M (et al) (agent), O'Melveny & Myers LLP, 400 South Hope
Street, Los Angeles, CA 90071-2899, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 2002102011 A2-A3 20021219 (WO 02102011)